Illinois Department of Public Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION A. BUILDING: | | (X3) DATE SURVEY COMPLETED | |
|--|---|--|--|--|-------------------------------|--|
| | | | Address of the Control of the Contro | And the state of t | С | |
| IL6003263 | | B. WING | | 01/13/2016 | | |
| NAME OF | PROVIDER OR SUPPLIER | | | STATE, ZIP CODE | | |
| TOWER HILL HEALTHCARE CENTER 759 KANE STE | | | | 177 | | |
| (X4) ID PREFIX TAG | (EACH DEFICIENCY | TEMENT OF DEFICIENCIES 'MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTI (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY) | DBE COMPLETE | |
| S9999 | Final Observations | | S9999 | | | |
| | Statement of Licens | sure Violations: | | | | |
| | 300.1210b)5) 300.1210d)6) 300.3240a) | | | | | |
| 7.7.7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1 | Section 300.1210 G Nursing and Person | ieneral Requirements for nal Care | | | | |
| | and services to atta practicable physical well-being of the res each resident's com plan. Adequate and care and personal of resident to meet the care needs of the res | provide the necessary care in or maintain the highest , mental, and psychological sident, in accordance with a prehensive resident care properly supervised nursing are shall be provided to each total nursing and personal esident. Restorative measures inimum, the following | | | | |
| | encourage residents transfer activities as | nnel shall assist and s with ambulation and safe often as necessary in an etain or maintain their highest unctioning. | | | | |
| | | | | | | |
| | assure that the residuas free of accident hursing personnel s | cautions shall be taken to dents' environment remains nazards as possible. All hall evaluate residents to see eceives adequate supervision | | Attachment / Statement of Licensure | | |

Illinois Department of Public Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Q9MG11

Illinois Department of Public Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION A. BUILDING: | | (X3) DATE SURVEY COMPLETED | |
|---|---|---|--|---|-------------------------------|--|
| | | | A. DOILDING. | | | : |
| | uniquo in va um obbe consiste e von menus anno setono de sere con o su va prido e de Dicinisto e un un un cons | IL6003263 | B. WING | | 1 | 3/2016 |
| NAME OF | PROVIDER OR SUPPLIER | STREET AD | DRESS, CITY, S | STATE, ZIP CODE | | |
| TOWER HILL HEALTHCARE CENTER 759 KANE S | | | | 177 | | |
| (X4) ID SUMMARY STATEMENT OF DEFICIENCIES | | ID | PROVIDER'S PLAN OF CORRECTION | ON | (X5) | |
| PREFIX TAG | (EACH DEFICIENCY | MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION) | PREFIX TAG | (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY) | .D BE | COMPLETE DATE |
| S9999 | Continued From page 1 | | S9999 | | | |
| | and assistance to p | revent accidents. | 77770000000000000000000000000000000000 | | | |
| | agent of a facility sh | buse and Neglect ee, administrator, employee or nall not abuse or neglect a ction 2-107 of the Act) | | | | |
| | These Requirement by: | ts are not met as evidenced | | | 77777 | |
| | failed to prevent a faresident. The facilit | and record review the facility all with fracture for one y also failed to incorporate fall yent falls and injuries. | | | AVAVAAA | |
| | | (R3) of three residents th injury in the sample of six. | | | 5 | TO THE PARTY OF TH |
| | | in R3 sustaining a tibial I still unable to bear weight 4 | | | | |
| | The findings include | : | | | | |
| | score of 15 out of 15 MDS(Minimum Data | ef Interview for Mental Status) 5 on her 4/22/15 a Set) showing her to be ely intact and interviewable. | | | | |
| | was in the shower re Nursing Assistant). transferring from he chair by herself as s was a newer showe ones and she could | AM R3 stated on 8/24/15 she com with a CNA(Certified R3 stated she was r wheelchair to the shower she always did. R3 stated it r chair and taller than the old not get her buttocks onto the ground. R3 stated she did | | | | |

Illinois Department of Public Health

Q9MG11

PRINTED: 02/10/2016 FORM APPROVED

Illinois Department of Public Health
STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION (X A. BUILDING: | | | (X3) DATE SURVEY COMPLETED | |
|---|--|--|--|--|-------|-------------------------------|--|
| | | | | Observed Principal Control and | C | | |
| | | IL6003263 | B. WING | | 01/13 | 3/2016 | |
| NAME OF | PROVIDER OR SUPPLIER | | | STATE, ZIP CODE | | | |
| TOWER | HILL HEALTHCARE O | ENTER 759 KANE | STREET LGIN, IL 60 | 177 | | | |
| (X4) ID | SUMMARY STA | TEMENT OF DEFICIENCIES | ID | PROVIDER'S PLAN OF CORRECTION | ON | (X5) | |
| PREFIX TAG | (EACH DEFICIENCY | MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION) | PREFIX TAG | (EACH CORRECTIVE ACTION SHOULD BE COMP CROSS-REFERENCED TO THE APPROPRIATE DATE DEFICIENCY) | | | |
| S9999 | Continued From pa | ge 2 | S9999 | | | | |
| | physically assisting bone under her kneweight. R3 states a shower room since bed bath now. R3 a weight on her leg somechanical lift to ge before the fall shew from the bed to the Incident report of 7/shower room with a and fell sustained a was no mention or un 10:00 AM R3 states. She would just hold | 1/15 shows R3 was in the CNA and lost her balance n abrasion to her back. There use of gait belt. On 1/12/16 at I she didn't use a gait belt. onto the chair and pivot and | | | | | |
| | required extensive a The bathing section | under transfers documents R3 assistance from one person. shows her to need physical e person for bathing. | | | | | |
| | at risk for injury rela strength and endura of the interventions needs the assistance showers and then o to need a mechanic | d 12/29/15 documents R3 is ted to falls due to decreased ance, right tibial fracture. One dated 7/1/15 documents R3 se of two for transfers during n 8/24/15 R3 is documented al lift for transfer. There is no nation on the care plan. | | | | | |
| | stated R3 required to for transfers with a good not know if R3 had a shower transfer on a staff to use one when | PM E2 (Director of Nursing) he assistance of one person gait belt. E2 stated she did a gait belt on during the B/24/15 but would expect the en someone is determined to ce of one person for | | | | | |

Illinois Department of Public Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION A. BUILDING: | | (X3) DATE SURVEY COMPLETED | |
|---|--|---|--|---|-------------------------------|--|
| | | IL6003263 | B. WING | | C 01/13/2016 | |
| | | | DDRESS, CITY, STATE, ZIP CODE | | | |
| TOWER | HILL HEALTHCARE O | CENTER 759 KANE SOUTH EI | STREET LGIN, IL 60° | 177 | | |
| (X4) ID PREFIX TAG | (EACH DEFICIENCY | TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (X5) (EACH CORRECTIVE ACTION SHOULD BE COMPLET | | |
| \$9999 | Continued From page 3 | | S9999 | | | |
| | transfers. E2 also so needing two person transfers on 7/1/15 in the shower. Two room transfers was not shown to be distanced assessment at that risk score of 20 white R3 was already a high shower fall and no gused. R3 sustained a fracture to support staff were safe transfers of resplan update interversion in the standard stan | stated R3 was listed as ns to assist for shower after the fall incident on 7/1/15 person assistance for shower added as the intervention but continued. R3's fall risk time showed her to have a fall | | | | |

Illinois Department of Public Health

Q9MG11